The present listing of the claim replaces all past listings of the claim:

## Listing of the claim

Claim 1. (Currently Amended) An automatic washing machine detergent dispensing device comprising a detergent bar comprising a detergent composition, a detergent additive, or a detergent composition which includes a detergent additive, said detergent bar disposed within a channel, wherein the detergent bar completely fills at least a portion of the channel across the entire bore of the channel, the channel having an <u>open end and an inlet</u> aperture which is in communication <u>with said open endtherewith</u>.

Claim 2. (Previously Presented) A device according to claim 1, wherein the channel has a uniform bore, along its length or at least along the portion filled by the detergent bar.

Claim 3. (Previously Presented) A device according to claim 1, wherein the channel is a tube.

Claim 4. (Previously Presented) A device according to claim 4, wherein the tube is cylindrical.

Claim 5. (Cancelled)

Claim 6. (Previously Presented) A device according to claim 5, wherein the channel comprises a form similar to a drinking glass.

Claim 7. (Previously Presented) A device according to claim 1, wherein the channel has a plurality of open ends each of which being in communication with an inlet aperture.

- Claim 8. (Previously Presented) A device according to claim 5, wherein the channel comprises a tube both ends of which are open.
- Claim 9. (Previously Presented) A device according to claim 5, wherein the open end of the channel comprises the inlet aperture.
- Claim 10. (Previously Presented) A device according to claim 1, wherein the channel has a secondary aperture.
- Claim 11. (Previously Presented) A device according to claim 10, wherein the secondary aperture comprises a slit in the side of the channel.
- Claim 12. (Previously Presented) A device according to claim 10, wherein the secondary aperture may comprise a plurality of separate apertures.
- Claim 13. (Previously Presented) A device according to claim 1, wherein a barrier is arranged around the periphery of the channel.
- Claim 14. (Previously Presented) A device according to claim 13, wherein the barrier comprises a sleeve arranged around the exterior of the channel.
- Claim 15. (Previously Presented) A device according to claim 10, wherein the diameter of the secondary aperture is larger than the holes of the dishwasher sieve.
- Claim 16. (Previously Presented) A device according to claim 10, wherein the diameter of the secondary aperture is less than 5mm.
- Claim 17. (Previously Presented) A device according to claim 1, wherein the device comprises a means to control the amount of wash liquor which contacts the detergent bar.

- Claim 18. (Previously Presented) A device according to claim 17, wherein the means comprises a collecting funnel.
- Claim 19. (Previously Presented) A device according to claim 18, wherein the collecting funnel has a drainage opening in its collecting portion.
- Claim 20. (Previously Presented) A device according to claim 1, wherein the channel comprises a water-resistant or water insoluble material.
- Claim 21. (Withdrawn) The use of an automatic washing machine detergent dispensing device in an automatic washing machine in an automatic washing machine process, wherein the device comprises a bar of detergent disposed within a channel, the detergent bar completely filling at least a portion of the channel across the entire bore of the channel, the channel having an aperture which is in communication therewith.
- Claim 22. (Withdrawn) An automatic washing machine process, comprising the step of providing to an automatic washing machine a detergent dispensing device, wherein the device comprises a bar of detergent disposed within a channel, the detergent bar completely filling at least a portion of the channel across the entire bore of the channel, the channel having an aperture which is in communication therewith.